

primary studies - published RCT

## **Clinical evaluation of oscillating positive expiratory pressure for enhancing expectoration in diseases other than cystic fibrosis.**

**Code:** PM7550205

**Year:** 1995 **Date:** 2000

**Author:** Ambrosino N

### **Study design (if review, criteria of inclusion for studies)**

RCT

### **Participants**

72 patients with CF (7-19 years)

### **Interventions**

exercise group (a minimum of 20 minutes of aerobic exercise, at a heart rate of approximately 150 beats/min, 3 times weekly) or a control group (usual physical activity participation).

### **Outcome measures**

Pulmonary function, exercise tolerance, clinical status, hospitalizations, and compliance with therapy were monitored during scheduled visits to the hospital's CF clinic.

### **Main results**

65 patients were included in the analyses. The control group demonstrated a greater annual decline in percent of predicted forced vital capacity compared with the exercise group (mean slope +/- SD, -2.42 +/- 4.15 vs -0.25 +/- 2.81; P =.02), with a similar trend for forced expiratory volume in 1 second (-3.47 +/- 4.93 vs -1.46 +/- 3.55; P =.07). Patients remained compliant with the exercise program over the study period. An improved sense of well-being was reported with exercise.

### **Authors' conclusions**

Pulmonary function declined more slowly in the exercise group than in the control group, suggesting a benefit for patients with CF participating in regular aerobic exercise. Consistent compliance with the home exercise program and a self-reported positive attitude toward exercise provide further evidence of the feasibility and value of including an aerobic exercise program in the conventional treatment regimen of patients with CF.

<http://www.mrw.interscience.wiley.com/cochrane/clcentral/articles/442/CN-00118442/frame.html>

### **See also**

Monaldi Arch Chest Dis. 1995 Aug;50(4):269-75.

### **Keywords**

Adolescent; Artificial Ventilation; exercise; Home; Home Care Services; non pharmacological intervention - devices OR physiotherapy; non pharmacological intervention - psycho-soc-edu-org; Ventilators; Organization;